(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier : SC Johnson Professional Glade® Aerosol - Pacific Breeze

UFI : WQP3-U39E-S00S-6PUH **1.2** Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Air care products

Uses advised against : None known.

1.3 Details of the supplier of the safety data sheet : SC Johnson Professional GmbH,

Girmesgath 5, 47803 Krefeld

Telephone : +44 (0) 1773 85510

+49 (0) 2151 73801827

E-mail address : talktous@scj.com

1.4 Emergency telephone number : National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP) Hazard symbols



Signal word Warning

Hazard statements

(H223) Flammable aerosol.

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

(H229) Pressurised container: May burst if heated.

Precautionary statements

(P102) Keep out of reach of children.

(P410 + P412) Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

(P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(P211) Do not spray on an open flame or other ignition source.

(P251) Do not pierce or burn, even after use.

Additional Labelling

Use only in well-ventilated areas.

Store in a cool, dry place.

People suffering from perfume sensitivity should be cautious when using this product.

Air fresheners do not replace good hygiene practices.

For professional users only.

2.3 Other hazards : Intentional misuse by deliberately concentrating and inhaling contents can

be harmful or fatal. $\underline{\textbf{Endocrine Disruptor}}$

The mixture does not contain any substances >0.1% that are included in the

list established in accordance with Article 59(1) for having endocrine

disrupting properties

PBT and vPvB substance

The mixture does not contain any substances >0.1% that meet the criteria

for persistent, bioaccumulative and toxic or very persistent and very

bioaccumulative in accordance with Annex XIII.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous components:

Chemical name	CAS-No./EC-No.	Reg. No.	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
Quaternary ammonium compounds, benzyl- C12-16-alkyldimethyl, chlorides	68424-85-1 / 270- 325-2	01-2119983287-23	Skin corrosion Category 1 H314 Serious eye damage Category 1 H318 Long-term (chronic) aquatic hazard	>= 0.00 - < 0.10	M-Factor Acute = 10 M-Factor Chronic = 1 ATE: Oral = 426 mg/kg Species: Rat Dermal = 930 mg/kg Species: Rat

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Revision Date 13.01.2023 Print Date 13.01.2023

Specification Number: 350000034916

Chemical name	CAS-No./EC-No.	Reg. No.	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)
			Category 1 H410		
			Short-term (acute) aquatic hazard Category 1 H400		
			Acute toxicity Category 4 H302		
			Acute toxicity Category 3 H311		
			Acute toxicity Category 3 H331		

WEL substance	WEL substance						
butane	106-97-8 / 203-448-7	01-2119474691-32	Flammable gases Category 1 H220 Gases under pressure H280	>= 5.00 - < 10.00	ATE: Oral = > 2,000 mg/kg Species: Rat Dermal = > 2,000 mg/kg Species: Rabbit		
propane	74-98-6 / 200-827-9	01-2119486944-21	Flammable gases Category 1 H220 Gases under pressure H280	>= 5.00 - < 10.00	ATE: Oral = > 2,000 mg/kg Species: Rat Dermal = > 2,000 mg/kg Species: Rabbit		

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

2-methylbutane	78-78-4 / 201-142-8	01-2119475602-38	Flammable liquids Category 1 H224 Specific target organ toxicity - single	>= 0.00 - < 0.10	ATE: Oral = > 5,000 mg/kg Species: Rat
			exposure Category 3 H336		
			Aspiration hazard Category 1 H304		
			Long-term (chronic) aquatic hazard Category 2 H411		
propane-1,2-diol	57-55-6 / 200-338-0	01-2119456809-23		>= 0.00 - < 0.10	ATE: Oral = 22,000 mg/kg Species: Rat Dermal = > 2,000 mg/kg Species: Rabbit Inhalation = > 317 mg/l Species: Rat
1,3-butadiene	106-99-0 / 203-450-8	01-2119449808-24	Flammable gases Category 1 H220 Gases under pressure	>= 0.00 - < 0.10	ATE: Oral = 5,480 mg/kg Species: Rat
			H280		
			Germ cell mutagenicity Category 1B H340		
			Carcinogenicity Category 1A H350		

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

propene	115-07-1 / 204-062-1	01-2119447103-50	Flammable gases Category 1 H220 Gases under pressure H280	>= 0.00 - < 0.10	ATE:
ethane	74-84-0 / 200-814-8	01-2119486765-21	Flammable gases Category 1 H220 Gases under pressure H280	>= 0.00 - < 0.10	ATE:

Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation : Move to fresh air.

If breathing is affected, get medical attention.

Skin contact : Rinse with plenty of water.

Get medical attention if irritation develops and persists.

Eye contact : Rinse with plenty of water.

Get medical attention if irritation develops and persists.

Ingestion : If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Eyes : May irritate eyes.

No adverse effects expected when used as directed.

Skin effect : May cause skin irritation.

No adverse effects expected when used as directed.

Inhalation : Intentional misuse by deliberately concentrating and inhaling contents can

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

be harmful or fatal.

No adverse effects expected when used as directed.

Ingestion : May cause abdominal discomfort.

No adverse effects expected when used as directed.

4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable : Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

Unsuitable : High volume water jet

5.2 Special hazards arising from the

substance or mixture

Heating may cause an explosion.

In case of fire and/or explosion do not breathe fumes.

Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters : In the event of fire, wear self-contained breathing apparatus.

Wear suitable protective clothing and gloves.

Refer to current EN or National standard as appropriate.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective :

equipment and emergency

procedures

Use personal protective equipment.

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentrations. Vapours

can accumulate in low areas.

6.2 Environmental precautions : Outside of normal use, avoid release to the environment.

Prevent large amounts of product from entering drains. Do not flush into surface water or sanitary sewer system.

Use appropriate containment to avoid environmental contamination.

6.3 Methods and materials for containment and cleaning up

: If damage occurs to aerosol can:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Clean residue from spill site.

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

Dike large spills.

Use only non-sparking equipment.

6.4 Reference to other sections : For personal protection see section 8.

For disposal considerations see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling : For personal protection see section 8.

Do not breathe vapours or spray mist.

Do not use in areas without adequate ventilation.

Do not puncture.

Use explosion-proof equipment.

Keep away from sources of ignition - No smoking.

Do not spray on a naked flame or any incandescent material. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

No smoking.

Store in cool place.

Do not freeze.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Keep out of the reach of children.

No decomposition if stored and applied as directed.

7.3 Specific end use(s) : Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)
Air care products

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limit Values

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
butane	106-97-8		3,000		IE_STELS
			ppm		
			1,000		IE_TWAS
			ppm		
propane	74-98-6		3,000		IE_STELS
			ppm		
2-methylbutane	78-78-4	3,000	1,000		EUOEL_TWAS
		mg/m3	ppm		
			3,000		IE_STELS
			ppm		
			1,000		IE_TWAS
			ppm		

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

propane-1,2-diol	57-55-6	1,410		particulate	IE_STELS
		mg/m3			
		30 mg/m3			IE_STELS
			450 ppm	total vapour and particulates	IE_STELS
		10 mg/m3		particulate	IE_TWAS
		470 mg/m3	150 ppm	total vapour and particulates	IE_TWAS
1,3-butadiene	106-99-0	2.2 mg/m3	1 ppm		IE_TWAS
		6.6 mg/m3	3 ppm		IE_STELS
propene	115-07-1		1,500 ppm		IE_STELS
			500 ppm		IE_TWAS
ethane	74-84-0		3,000 ppm		IE_STELS

Refer to current EN or National standard as appropriate.

8.2 Exposure controls

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection : Wear suitable gloves.

Nitrile gloves — Thickness 0.12mm; Breakthrough time >2 hours.

The selected protective gloves have to satisfy the specifications of Regulation

(EU) 2016/425 and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Eye/face protection : No special requirements.

Skin and body protection : Wash contaminated clothing before re-use.

Other information : Wash hands before breaks and at the end of workday.

Environmental Exposure Controls : Refer to section 6.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : aerosol

Colour : colourless

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

Odour : Marine/Ozone

pH : 8.5 - 9.0

Melting point/freezing point : Not required as mixture is a gas

Initial boiling point and boiling range : -42 °C

Flash point : 79 °C

Method: Tag Closed Cup (TCC)

liquid -7°C

Method: Tag Closed Cup (TCC)

Propellant

Flammability (solid, gas) : Sustains combustion

Lower flammability or explosive

limits

: 1.8 %(V)

Upper flammability or explosive

limits

: 9.5 %(V)

Vapour density : 10.22

Relative density : 0.86 g/cm3 at 20 °Cestimated

Solubility(ies) : partly miscible

Partition coefficient: n-

octanol/water

: Not required as the product is a mixture.

Auto-ignition temperature

not auto-flammable

Decomposition temperature : Not measured as mixture is not self-reactive

Viscosity, kinematic : Not required as mixture is a gas

Particle Characteristics : Not required as mixture is a liquid

9.2 Other information

Other information : not required

SECTION 10: STABILITY AND REACTIVITY

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

10.1 Reactivity : No dangerous reaction known under conditions of normal use.

10.2 Chemical stability : Stable under recommended storage conditions.

10.3 Possibility of hazardous

reactions

: None known.

10.4 Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials : None known.

10.6 Hazardous decomposition

products

: No decomposition if stored and applied as directed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	Calculated		

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (dust and		> 5 mg/l	
	mist)			
	Calculated			

Acute dermal toxicity

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	Calculated		

Skin corrosion/irritation : Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation : Based on available data, the classification criteria are not met.

Skin sensitisation : Based on available data, the classification criteria are not met.

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxicity for reproduction : Based on available data, the classification criteria are not met.

STOT - single exposure : Based on available data, the classification criteria are not met.

STOT - repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine Disrupting Properties : The mixture does not contain any substances >0.1% that are included in

the list established in accordance with Article 59(1) for having endocrine

disrupting properties

Other information : None identified

SECTION 12: ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

12.1 Toxicity

Toxicity to fish

Components	End point	Species	Value	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	LC50 Measured OECD Test Guideline 203	Pimephales promelas (fathead minnow)	0.28 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	0.032 mg/l	34 d
butane	LC50 QSAR	Fish	24.11 mg/l	96 h
propane	LC50 QSAR	Fish	49.9 mg/l	96 h
2-methylbutane	LC50	Oncorhynchus mykiss (rainbow trout)	4.26 mg/l	96 h
	NOELR QSAR	Fish	7.6 mg/l	21 d

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Revision Date 13.01.2023 Print Date 13.01.2023

Specification Number: 350000034916

propane-1,2-diol	LC50 static test Measured	Oncorhynchus mykiss (rainbow trout)	40,613 mg/l	96 h
	Chronic Toxicity Value QSAR	Fish	2,500 mg/l	30 d
1,3-butadiene	LC50 QSAR	Fish	43 mg/l	96 h
propene	No data available			
ethane	LC50 QSAR	Fish	91.42 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	EC50	Daphnia (water flea)	0.012 mg/l	48 h
	NOEC	Daphnia magna	0.0042 mg/l	21 d
butane	EC50 QSAR	Daphnid	14.22 mg/l	48 h
propane	LC50	Daphnid	27.14 mg/l	48 h
2-methylbutane	EC50 Measured	Daphnia magna (Water flea)	2.3 mg/l	48 h
	NOELR QSAR	Daphnia magna	13.29 mg/l	21 d
propane-1,2-diol	EC50 static test Measured	Ceriodaphnia dubia	18,340 mg/l	48 h
	NOEC semi-static test Measured	Ceriodaphnia sp.	13,020 mg/l	7 d
1,3-butadiene	EC50 QSAR	Daphnia (water flea)	33 mg/l	48 h
propene	No data available			
ethane	LC50 QSAR	Daphnid	46.6 mg/l	48 h

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Revision Date 13.01.2023 Print Date 13.01.2023

Specification Number: 350000034916

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	EC50	Pseudokirchneriella subcapitata (green algae)	0.049 mg/l	72 h
butane	EC50 QSAR	Green algae	7.71 mg/l	96 h
propane	EC50	Green algae	11.89 mg/l	96 h
2-methylbutane	EC50 QSAR	Scenedesmus capricornutum (fresh water algae)	10.7 mg/l	72 h
propane-1,2-diol	EC50 static test Measured	Scenedesmus capricornutum (fresh water algae)	19,000 mg/l	96 h
1,3-butadiene	EC50 QSAR	Algae	11 mg/l	96 h
propene	No data available			
ethane	EC50 QSAR	Green algae	16.5 mg/l	96 h

12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	95.5 %	28 d	Readily biodegradable.
butane	70 %	< 10 d	Readily biodegradable.
propane	70 %	< 10 d	Readily biodegradable.
2-methylbutane	71.43 %	28 d	Readily biodegradable.
propane-1,2-diol	81.7 % Measured	28 d	Readily biodegradable.
1,3-butadiene	No data available		
propene			Readily biodegradable.
ethane	70 %	< 10 d	Readily biodegradable.

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Revision Date 13.01.2023 Print Date 13.01.2023

Specification Number: 350000034916

12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	79 Measured	3.91
butane	No data available	2.89
propane	No data available	2.36
2-methylbutane	171 Read-across (Analogy)	4.9 Measured
propane-1,2-diol	0.09	-1.07
1,3-butadiene	13 - 19.1	1.85
propene	No data available	
ethane	No data available	1.8

12.4 Mobility in soil

Component	End point	Value
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	Кос	1640329 Measured
butane	No data available	
propane	No data available	
2-methylbutane	log Koc	2.9 Read-across (Analogy)
propane-1,2-diol	Кос	2.9 Measured
1,3-butadiene	No data available	
propene	No data available	
ethane	No data available	

12.5 Results of PBT and vPvB assessment

Component	Results
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	Not fulfilling PBT and vPvB criteria
butane	Not fulfilling PBT and vPvB criteria
propane	Not fulfilling PBT and vPvB criteria
2-methylbutane	Not fulfilling PBT and vPvB criteria

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Print Date 13.01.2023

Revision Date 13.01.2023 Specification Number: 350000034916

propane-1,2-diol	Not fulfilling PBT and vPvB criteria	
1,3-butadiene	Not fulfilling PBT and vPvB criteria	
propene		
ethane	Not fulfilling PBT and vPvB criteria	

12.6 Endocrine Disrupting Properties : The mixture does not contain any substances >0.1% that are included in the

list established in accordance with Article 59(1) for having endocrine

disrupting properties

12.7 Other adverse effects : None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Disposal should be in accordance with local, state or national

legislation.

Please recycle empty packaging.

Packaging : Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

	Land transport	Sea transport	Air transport
14.1 UN number	1950	1950	1950
14.2 UN proper shipping name	AEROSOLS, flammable	AEROSOLS, flammable	AEROSOLS, flammable
14.3 Transport hazard class(es)	2	2	2.1
14.4 Packing group			
14.5 Environmental			
hazards			
14.6 Special precautions	Limited quantities	Limited quantities	Limited quantities
for user	derogation may be	derogation may be	derogation may be
	applicable to this product,	applicable to this product,	applicable to this product,
	please check transport	please check transport	please check transport
	documents.	documents.	documents.
14.7 Maritime transport	Product not transported as	Product not transported as	Product not transported as
in bulk according to IMO	bulk.	bulk.	bulk.
instruments			

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Revision Date 13.01.2023 Print Date 13.01.2023

Specification Number: 350000034916

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of:

Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 (CLP) as amended (not applicable to cosmetics)

Regulation (EC) No. 528/2012 as amended (applicable to biocidal products)

Directive (EEC) No. 75/324 as amended (applicable to aerosols)

Regulation (EC) No. 1223/2009 amended (applicable to cosmetic products)

Regulation (EC) No. 684/2001 The surfactants contained in this preparation comply with the biodegradability criteria laid down in Regulation (EC) No.648/2004 for detergents (applicable to detergents).

Directive (EC) No. 2001/95/EC - General Product Safety Directive

European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

Directive 2012/18/EU Seveso

Regulation (EU) 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

SZW list of carcinogenic, mutagenic and reproductively toxic substances

15.2 Chemical safety assessment Not required for consumer products.

SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars | | in left-hand margin.

Key abbreviations or acronyms used

EC - European Community

EEC - European Economic Community

CLP - Classification Labelling & Packaging

EN – European Standard or European Norm

PBT – Persistent, Bioaccumulative & Toxic

vPvB – very persistent, very bioaccumulative

UN - United Nations

(Regulation (EU) 2020/878 amending the annex II of REACH regulation.)



SC Johnson Professional Glade® Aerosol - Pacific Breeze

Version 1.0 Revision Date 13.01.2023 Print Date 13.01.2023

Specification Number: 350000034916

Evaluation methods

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

Full text of H-Statements

H314	Causes severe skin burns and eye damage.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.