

PURPLE BEERLINE CLEANER

Page: 1

Compilation date: 29/11/2019 Revision date: 05/08/2020

Revision No: 4

# Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PURPLE BEERLINE CLEANER

Product code: CNF024

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

## 1.3. Details of the supplier of the safety data sheet

Company name: Confex Limited

Cotswold Business Park

London Road

Moreton-in-marsh

Gloucestershire

GL56 0JQ

United Kingdom

Tel: 01608 652 333

Email: jessdougals@confex.ltd.uk

# **1.4. Emergency telephone number**

Emergency tel: 07920 264245

# Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; -: EUH031

Most important adverse effects: Contact with acids liberates toxic gas. Causes severe skin burns and eye damage.

# 2.2. Label elements

Label elements:

Hazard statements:	EUH031: Contact with acids liberates toxic gas.
	H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

# PURPLE BEERLINE CLEANER

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water .
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

# Hazardous ingredients:

#### SODIUM HYPOCHLORITE 14-15%

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-668-3	7681-52-9	-	Skin Corr. 1B: H314; -: EUH031	1-10%
POTASSIUM H	YDROXIDE			
215-181-3	1310-58-3	-	Acute Tox. 4: H302; Skin Corr. 1A: H314	<1%

Contains: Potassium Permanganate

4.1. Description of first aid measures         Skin contact:       Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.         Eye contact:       Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.         Ingestion:       Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.         Inhalation:       Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.         4.2. Most important symptoms and effects, both acute and delayed         Skin contact:       Bilstering may occur. Progressive ulceration will occur if treatment is not immediate.         Eye contact:       Corneal burns may occur. May cause permanent damage. Ingestion:         Corrosive burns may appear around the lips. Blood may be vomited. There may be	Section 4: First aid measures			
Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.Eye contact:Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.Ingestion:Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.Inhalation:Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.4.2. Most important symptoms and effects, both acute and delayedSkin contact:Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact:Eye contact:Bilstering may occur. May cause permanent damage.	4.1. Description of first aid measures			
Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.Eye contact:Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.Ingestion:Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. 	· ·			
<ul> <li>on skin. Transfer to hospital if there are burns or symptoms of poisoning.</li> <li>Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.</li> <li>Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.</li> <li>Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.</li> <li>4.2. Most important symptoms and effects, both acute and delayed</li> <li>Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage.</li> </ul>	Skin contact.	-		
Eye contact:       Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.         Ingestion:       Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.         Inhalation:       Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.         4.2. Most important symptoms and effects, both acute and delayed       Skin contact:       Blistering may occur. Progressive ulceration will occur if treatment is not immediate.         Eye contact:       Corneal burns may occur. May cause permanent damage.		Drench the affected skin with running water for 10 minutes or longer if substance is still		
examination.         Ingestion:       Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.         Inhalation:       Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.         4.2. Most important symptoms and effects, both acute and delayed         Skin contact:       Blistering may occur. Progressive ulceration will occur if treatment is not immediate.         Eye contact:       Corneal burns may occur. May cause permanent damage.		on skin. Transfer to hospital if there are burns or symptoms of poisoning.		
Ingestion:Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.Inhalation:Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.4.2. Most important symptoms and effects, both acute and delayedSkin contact:Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact:Corneal burns may occur. May cause permanent damage.	Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist		
<ul> <li>minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.</li> <li>Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.</li> <li>4.2. Most important symptoms and effects, both acute and delayed</li> <li>Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage.</li> </ul>		examination.		
If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage.	Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 1	0	
<ul> <li>as soon as possible.</li> <li>Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.</li> <li>4.2. Most important symptoms and effects, both acute and delayed</li> <li>Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.</li> <li>Eye contact: Corneal burns may occur. May cause permanent damage.</li> </ul>		minutes. If unconscious, check for breathing and apply artificial respiration if necessary.		
Inhalation:       Remove casualty from exposure ensuring one's own safety whilst doing so. If         unconscious and breathing is OK, place in the recovery position. If conscious, ensure         the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and         provide oxygen if available. Transfer to hospital as soon as possible.         4.2. Most important symptoms and effects, both acute and delayed         Skin contact:       Blistering may occur. Progressive ulceration will occur if treatment is not immediate.         Eye contact:       Corneal burns may occur. May cause permanent damage.		If unconscious and breathing is OK, place in the recovery position. Transfer to hospital		
unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage.		as soon as possible.		
the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.  4.2. Most important symptoms and effects, both acute and delayed  Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.  Eye contact: Corneal burns may occur. May cause permanent damage.	Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If		
provide oxygen if available. Transfer to hospital as soon as possible.         4.2. Most important symptoms and effects, both acute and delayed         Skin contact:       Blistering may occur. Progressive ulceration will occur if treatment is not immediate.         Eye contact:       Corneal burns may occur. May cause permanent damage.		unconscious and breathing is OK, place in the recovery position. If conscious, ensure		
4.2. Most important symptoms and effects, both acute and delayed         Skin contact:       Blistering may occur. Progressive ulceration will occur if treatment is not immediate.         Eye contact:       Corneal burns may occur. May cause permanent damage.		the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and		
<ul> <li>Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.</li> <li>Eye contact: Corneal burns may occur. May cause permanent damage.</li> </ul>		provide oxygen if available. Transfer to hospital as soon as possible.		
Eye contact: Corneal burns may occur. May cause permanent damage.	4.2. Most important symptom	4.2. Most important symptoms and effects, both acute and delayed		
Eye contact: Corneal burns may occur. May cause permanent damage.	Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate		
<b>Ingestion:</b> Corrosive burns may appear around the lips. Blood may be vomited. There may be	-			
	Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be		
bleeding from the mouth or nose. [cont]		bleeding from the mouth or nose.	[cont]	

# PURPLE BEERLINE CLEANER

Page: 3

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

# Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

# 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

# PURPLE BEERLINE CLEANER

# Page: 4

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

8.1. Control parameters

# Hazardous ingredients:

# POTASSIUM HYDROXIDE

#### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

**Respirable dust** 

# **DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Impermeable gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Impermeable protective clothing.

# Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Blue-purple
Odour:	Barely perceptible odour
Solubility in water:	Soluble
Viscosity:	Non-viscous
Boiling point/range°C:	100
pH:	>11.5

Flash point°C: No Flash Point

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

# PURPLE BEERLINE CLEANER

10.2. Chemical stability

# Chemical stability: Stable under normal conditions. 10.3. Possibility of hazardous reactions Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. 10.4. Conditions to avoid Conditions to avoid: Heat. 10.5. Incompatible materials Materials to avoid: Strong oxidising agents. Strong acids. 10.6. Hazardous decomposition products Haz. decomp. products: In combustion emits toxic fumes. Section 11: Toxicological information 11.1. Information on toxicological effects Hazardous ingredients: **SODIUM HYPOCHLORITE 14-15%** ORL RAT LD50 5000 mg/kg POTASSIUM HYDROXIDE ORL RAT LD50 273 mg/kg **Relevant hazards for product:** Hazard Route Basis Skin corrosion/irritation DRM Hazardous: calculated Serious eye damage/irritation OPT Hazardous: calculated Symptoms / routes of exposure Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Delayed / immediate effects: Immediate effects can be expected after short-term exposure. Section 12: Ecological information 12.1. Toxicity Ecotoxicity values: No data available. [cont...]

# PURPLE BEERLINE CLEANER

Page: 6

#### 12.2. Persistence and degradability

#### Persistence and degradability: Biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

### 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# Section 13: Disposal considerations

# 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

# 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# Section 16: Other information

Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	2015/830.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	EUH031: Contact with acids liberates toxic gas.	
	H302: Harmful if swallowed.	
	H314: Causes severe skin burns and eye damage.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	