

# SAFETY DATA SHEET NOVA SAFETY FLOOR CLEANER

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name NOVA SAFETY FLOOR CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 Fax: +44 (0)1295 269561 sales@cleenol.co.uk

### 1.4. Emergency telephone number

Emergency telephone Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank

holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that

the product is registered with the National Poisons Information Service

### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318

**Environmental hazards** Aquatic Chronic 3 - H412

Classification (67/548/EEC or Xi;R36/38.

1999/45/EC)

2.2. Label elements

**Pictogram** 



Signal word Danger

### **NOVA SAFETY FLOOR CLEANER**

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P

P264 Wash contaminated skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.

Contains BENZALKONIUM CHLORIDE, FATTY ALCOHOL ETHOXYLATE

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling.

2.3. Other hazards

Other Hazards None

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

FATTY ALCOHOL ETHOXYLATE	5-10%
FATTI ALCOHOL ETHOXILATE	5-10/6

CAS number: 160901-19-9

Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22. Xi;R41.

Eye Dam. 1 - H318

BENZALKONIUM CHLORIDE 1-5%

CAS number: 68424-85-1

M factor (Acute) = 10 M factor (Chronic) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Met. Corr. 1 - H290 Xn;R21/22. C;R34. N;R50.

Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Revision date: 05/05/2017 Revision: 7 Supersedes date: 11/01/2017

# **NOVA SAFETY FLOOR CLEANER**

POTASSIUM HYDROXIDE <1%

CAS number: 1310-58-3 EC number: 215-181-3 REACH registration number: 01-

2119487136-33-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 C;R35 Xn;R22

Skin Corr. 1A - H314 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** The liquid may be irritating to skin.

**Eye contact** May cause eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Seek medical attention if irritation or symptoms persist. Symptomatic treatment

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Burning may produce irritating, toxic and obnoxious fumes.

Oxides of Carbon, Nitrogen and Sulphur.

### 5.3. Advice for firefighters

**Special protective equipment** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clothin

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

# 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

### **NOVA SAFETY FLOOR CLEANER**

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SHELF LIFE OF DILUTION

12 MONTHS

### SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

# Occupational exposure limits

# POTASSIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

# 8.2. Exposure controls

### Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical

splash goggles or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves

should comply with European Standard EN374.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Revision date: 05/05/2017 Revision: 7 Supersedes date: 11/01/2017

### **NOVA SAFETY FLOOR CLEANER**

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any

clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

### **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Green.

Odour Mild.

pH 12-14

Initial boiling point and range 100°C @ 760 mm Hg

Relative density 1.064 @ 20°C

9.2. Other information

Other information None.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity**No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

None known.

### 10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

# 10.6. Hazardous decomposition products

Hazardous decomposition

products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

### SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 8,333.3333333

Acute toxicity - dermal

**ATE dermal (mg/kg)** 110,000.0

Inhalation Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

Revision date: 05/05/2017 Revision: 7 Supersedes date: 11/01/2017

### **NOVA SAFETY FLOOR CLEANER**

**Ingestion** May cause discomfort if swallowed.

**Skin contact** May cause sensitisation by skin contact.

**Eye contact** Irritating to eyes.

### SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

### 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

### 12.6. Other adverse effects

Other adverse effects Not known.

### SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

## **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

# 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

### **NOVA SAFETY FLOOR CLEANER**

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

Guidance Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Approved Classification and Labelling Guide (Sixth edition) L131.

Safety Data Sheets for Substances and Preparations

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

### **SECTION 16: Other information**

Revision date 05/05/2017

Revision 7

Supersedes date 11/01/2017

SDS number 20311

Risk phrases in full R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.
R34 Causes burns.
R35 Causes severe burns.
R36/38 Irritating to eyes and skin.
R41 Risk of serious damage to eyes.
R50 Very toxic to aquatic organisms.

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.