



SAFETY DATA SHEET HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

Product number 800-277-0622 V11

Container size 300mL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant.

1.3. Details of the supplier of the safety data sheet

Supplier MIRIUS ™

A Coventry Group Company Woodhams Road, Siskin Drive, Coventry, England, CV3 4FX

www.mirius.com info@mirius.com +442476639739

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

Classification (67/548/EEC or -

1999/45/EC)

2.2. Label elements

Hazard pictograms





Signal word Danger

Hazard statements H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

Precautionary statements P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Supplementary precautionary statements

P211 Do not spray on an open flame or other ignition source. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P321 Specific treatment (see medical advice on this label).

P330 Rinse mouth.

P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

BUTANE		30-60%
CAS number: 106-97-8	EC number: 203-448-7	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Gas 1 - H220	F+;R12	
Press. Gas		

ETHANOL 10-30%

CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-

2119457610-43-XXXX

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

<1%

CHLORIDE (ADBAC/BKC (C12-16))

EC number: 270-325-2

REACH registration number: 01-

2119965180-41-XXXX

M factor (Acute) = 10

CAS number: 68424-85-1

M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. When breathing is difficult, properly trained personnel may assist affected person

by administering oxygen. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any

discomfort continues.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion Harmful if swallowed.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray,

fog or mist.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Bursting aerosol containers may be propelled from a fire at high speed.

5.3. Advice for firefighters

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

Protective actions during firefighting

Containers can burst violently or explode when heated, due to excessive pressure build-up. Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate area. Eliminate all ignition sources if safe to do so. Provide adequate ventilation.

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Large Spillages: Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not allow material to enter confined spaces, due to the risk of explosion. If leakage cannot be stopped, evacuate area. Small Spillages: Leave small quantities to evaporate, if safe to do so. If the product is soluble in water, dilute the spillage with water and mop it up.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Do not pierce or burn, even after use. Empty containers or liners may retain some product residues and hence be potentially hazardous.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feeding stuffs. Store in tightly-closed, original container in a well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³ Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

ETHANOL

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³ WEL = Workplace Exposure Limit.

Ingredient comments WEL = Workplace Exposure Limits

ETHANOL (CAS: 64-17-5)

DNEL Workers - Inhalation; Long term systemic effects: 950 mg/m³

Workers - Inhalation; Short term local effects: 1900 mg/m³ Workers - Dermal; Long term systemic effects: 343 mg/kg

General population - Inhalation; Long term systemic effects: 114 mg/m³ General population - Inhalation; Short term local effects: 950 mg/m³ General population - Dermal; Long term systemic effects: 206 mg/kg/day General population - Oral; Long term systemic effects: 87 mg/kg/day

PNEC - Fresh water; 0.96 mg/l

- marine water; 0.79 mg/l - Intermittent release; 2.75 mg/l

- STP; 580 mg/l

Sediment (Freshwater); 3.6 mg/kgSediment (Marinewater); 2.9 mg/kg

- Soil; 0.63 mg/kg

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)) (CAS: 68424-85-1)

DNEL Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day

Workers - Inhalation; Long term systemic effects: 3.96 mg/m³

General population - Oral; Long term systemic effects: 3.4 mg/kg/day General population - Dermal; Long term systemic effects: 3.4 mg/kg/day General population - Inhalation; Long term systemic effects: 1.64 mg/m³

PNEC - Fresh water; 0.001 mg/l

Intermittent release, Fresh water; 0 mg/l

marine water; 0.001 mg/l

STP; 0.4 mg/l

Sediment (Freshwater); 12.27 mg/kg Sediment (Marinewater); 13.09 mg/kg

Soil; 7 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

Eye/face protection Eyev

Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible.

Hand protection No specific requirements are anticipated under normal conditions of use.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

prolonged vapour contact.

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Promptly remove any clothing that becomes contaminated. When using

do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Aerosol.

ColourNot applicable.OdourCharacteristic.

pH (concentrated solution): 8 +/- 1

Initial boiling point and range Not determined.

Flash point Extremely flammable aerosol.

Evaporation rate Not determined.

Flammability (solid, gas) Extremely flammable aerosol.

Upper/lower flammability or

explosive limits

No information available.

Vapour pressure 4 mbar @ 25°C

Vapour density Not determined.

Relative density Not determined.

Solubility(ies) No information available.

Partition coefficient No information available.

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity Not determined.

Explosive properties No information available.

Explosive under the influence No information available.

of a flame

ino iniornation available.

Oxidising properties

Does not meet the criteria for classification as oxidising.

Comments

Information given is applicable to the product as supplied.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under the prescribed storage conditions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

Possibility of hazardous

reactions

products

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid contact with the following materials:

Strong oxidising agents. Strong alkalis. Strong mineral acids.

10.5. Incompatible materials

Materials to avoid Oxidising materials.

10.6. Hazardous decomposition products

Hazardous decomposition

Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). Nitrous

gases (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Other health effects Does not contain any substances known to be carcinogenic.

Acute toxicity - oral

Notes (oral LD₅₀) Harmful if swallowed.

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Notes (dermal LD50) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Not sensitising. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Not classified. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposureNot classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

Acute and chronic health

hazards

Inhalation May cause respiratory system irritation. Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Nausea, vomiting. Headache. Prolonged inhalation of high concentrations may damage respiratory system. SKIN CONTACT. Product has a defatting effect on skin. May cause skin

irritation/eczema. EYE CONTACT. Irritating to eyes.

Route of exposure Inhalation

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Partition coefficient No information available.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

No data available.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Empty containers must not be punctured or incinerated because of the risk of an explosion.

Empty containers or liners may retain some product residues and hence be potentially hazardous. Dispose of waste to licensed waste disposal site in accordance with the

requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

 UN No. (ADR/RID)
 1950

 UN No. (IMDG)
 1950

 UN No. (ICAO)
 1950

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

UN No. (ADN)

AEROSOLS

1950

Proper shipping name (IMDG) AEROSOLS

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

Proper shipping name (ICAO) AEROSOLS

Proper shipping name (ADN) AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

Transport labels



14.4. Packing group

ADR/RID packing group None

IMDG packing group None

ICAO packing group None

ADN packing group None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

Control of Substances Hazardous to Health Regulations 2002 (as amended).

EH40/2005 Workplace exposure limits.

EU legislation Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance Workplace Exposure Limits EH40.

HYCOLIN PROFESSIONAL ANTIVIRAL QUICK SPRAY SURFACE CLEANER

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet ADR: European Agreement concerning the International Carriage of Dangerous Goods by

CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level.

IMDG: International Maritime Dangerous Goods. PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration. SVHC: Substances of Very High Concern. vPvB: Very Persistent and Very Bioaccumulative.

Revision date 20/08/2020

Revision 1

SDS number 22296

Hazard statements in full H220 Extremely flammable gas.

> H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour.

H229 Pressurised container: may burst if heated.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.