



A Coventry Group Company

SAFETY DATA SHEET

485ml CLEANSE GENTLE ANTIBACTERIAL LUXURIOUS HAND WASH

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the	he substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	485ml CLEANSE GENTLE ANTIBACTERIAL LUXURIOUS HAND WASH	
Product number	800-288-0012	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Cleaning agent.	
1.3. Details of the supplier of the safety data sheet		
Supplier	MIRIUS ™ A Coventry Group Company Woodhams Road, Siskin Drive, Coventry, England, CV3 4FX www.mirius.com info@mirius.com +442476639739	
Contact person	For content of safety data sheet:, sds@mirius.com	
1.4. Emergency telephone number		
Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)	
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24	
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard statements	NC Not Classified	
Precautionary statements	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Detergent labelling	5 - < 15% anionic surfactants, < 5% non-ionic surfactants	
2.3. Other hazards		
This product doos not contain	any substances classified as DRT or vDvR	

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14-ALKYL ETHER SULFATES			5-10%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01- 2119488639-16-XXXX	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412		ssification (67/548/EEC or 1999/45/EC) R38,R41.	
LACTIC ACID CAS number: 79-33-4	EC number: 201-196-2		1-5%
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318			
ALKYL AMIDO PROPYL DIMETHYLA	MINE BETAINE		1-5%
CAS number: 61789-40-0	EC number: 263-058-8		
Classification Eye Dam. 1 - H318 Aquatic Chronic 3 - H412		ssification (67/548/EEC or 1999/45/EC) R36.	
COCONUT DIETHANOLAMIDE			1-5%
CAS number: 68603-42-9	EC number: 931-329-6		
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		ssification (67/548/EEC or 1999/45/EC) R38,R41.	
MONOPROPYLENE GLYCOL			1-5%
CAS number: 57-55-6			
Classification Not Classified	Cla -	ssification (67/548/EEC or 1999/45/EC)	
GLYCEROL			<1%
CAS number: 56-81-5	EC number: 200-289-5		
Classification Not Classified	Cla -	ssification (67/548/EEC or 1999/45/EC)	
The Full Text for all R-Phrases and Haz	ard Statements are Display	red in Section 16.	

SECTION 4: First aid measures

4.1. Description of first aid measures

Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact	Prolonged contact may cause redness, irritation and dry skin.	
Eye contact	May cause temporary eye irritation.	
4.3. Indication of any immediat	e medical attention and special treatment needed	
Notes for the doctor	No specific recommendations.	
SECTION 5: Firefighting meas	ures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.	
5.2. Special hazards arising fro	om the substance or mixture	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
	clothing.	
for firefighters SECTION 6: Accidental releas	clothing.	
for firefighters SECTION 6: Accidental releas	clothing. e measures	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof	e measures ective equipment and emergency procedures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof Personal precautions	e measures ective equipment and emergency procedures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof Personal precautions 6.2. Environmental precautions	clothing. e measures tective equipment and emergency procedures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof Personal precautions 6.2. Environmental precautions Environmental precautions	clothing. e measures tective equipment and emergency procedures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for o	clothing. e measures tective equipment and emergency procedures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for o Methods for cleaning up	clothing. e measures tective equipment and emergency procedures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for o Methods for cleaning up 6.4. Reference to other section	 clothing. e measures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. 	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for o Methods for cleaning up 6.4. Reference to other section Reference to other sections	 clothing. e measures tective equipment and emergency procedures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. IS For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. 	
for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, prof Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for o Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and store	 clothing. e measures tective equipment and emergency procedures For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. IS For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. 	

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

GLYCEROL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist WEL = Workplace Exposure Limit

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day
	Consumer - Inhalation; Long term systemic effects: 52 mg/m ³
	Consumer - Inmalation, Long term systemic effects: 02 mg/m Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day
	Consumer - Oral; Long term systemic effects: 15 mg/kg/day
PNEC	- Fresh water; 0.24 mg/l
	- marine water; 0.024 mg/l
	- Intermittent release; 0.071 mg/l
	- Sediment, Fresh water; 0.917 mg/kg
	- Sediment, marine water; 0.092 mg/kg
	- Soil; 7.5 mg/kg
	- STP; 10,000 mg/l
	LACTIC ACID (CAS: 79-33-4)
DNEL	Industry - Inhalation; Short term : 592 mg/m³
DIALE	Consumer - Oral; : 35.4 mg/kg/day
	Consumer - Oral, : 55.4 mg/kg/day
PNEC	- Fresh water; 1.3 mg/l
	SODIUM CHLORIDE (CAS: 7647-14-5)
DNEL	Workers - Inhalation; Long term systemic effects: 2068.62 mg/m ³
	Workers - Inhalation; Short term systemic effects: 2068.62 mg/m ³
	Workers - Dermal; Long term systemic effects: 295.52 mg/kg/day
	Workers - Dermal; Short term systemic effects: 295.52 mg/kg/day
	General population - Inhalation; Long term systemic effects: 443.28 mg/m ³
	General population - Inhalation; Short term systemic effects: 443.28 mg/m ³
	General population - Dermal; Long term systemic effects: 126.65 mg/kg/day
	General population - Dermal; Short term systemic effects: 126.65 mg/kg/day
	General population - Oral; Long term systemic effects: 126.65 mg/kg/day
	General population - Oral; Short term systemic effects: 126.65 mg/kg/day
	Constal population Stat, Short term systemic chects. 120.00 mg/kg/day

PNEC	- Fresh water; 5 mg/l - Intermittent release; 19 - STP; 500 mg/l - Soil; 4.86 mg/kg
	COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)
DNEL	Workers - Inhalation; Long term systemic effects: 73.4 mg/m ³ Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm ² General population - Inhalation; Long term systemic effects: 21.73 mg/m ³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm ² General population - Oral; Long term systemic effects: 6.25 mg/kg/day
PNEC	 Fresh water; 0.007 mg/l marine water; 0.001 mg/l STP; 830 mg/l Sediment (Freshwater); 0.195 mg/kg Sediment (Marinewater); 0.019 mg/kg Soil; 0.035
	MONOPROPYLENE GLYCOL (CAS: 57-55-6)
DNEL	Workers - Inhalation; Long term systemic effects: 168 mg/m ³ Workers - Inhalation; Long term local effects: 10 mg/m ³ General population - Inhalation; Long term systemic effects: 50 mg/m ³ General population - Inhalation; Long term local effects: 10 mg/m ³
PNEC	 Fresh water; 260 mg/l Intermittent release; 183 mg/l marine water; 26 mg/l STP; 20000 mg/l Sediment (Freshwater); 572 mg/kg Sediment (Marinewater); 57.2 mg/kg Soil; 50 mg/kg
	GLYCEROL (CAS: 56-81-5)
DNEL	Workers - Inhalation; Long term local effects: 56 mg/m³ General population - Inhalation; Long term local effects: 33 mg/m³ General population - Oral; Long term systemic effects: 229 mg/kg/day
PNEC	 Fresh water; 0.885 mg/l marine water; 0.0885 mg/l Intermittent release; 8.85 mg/l STP; 1000 mg/l Sediment (Freshwater); 3.3 mg/kg Sediment (Marinewater); 0.33 mg/kg Soil; 0.141 mg/kg

DIETHANOLAMINE (CAS: 111-42-2)

DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Dermal; Long term systemic effects: 0.13 mg/cm ² General population - Inhalation; Long term local effects: 0.25 mg/m ³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day
PNEC	- Fresh water; 0.02 mg/l - marine water; 0.002 mg/l - STP; 100 mg/l - Sediment (Freshwater); 0.092 mg/kg - Sediment (Marinewater); 0.009 mg/kg - Soil; 0.007 mg/kg
8.2. Exposure controls	
Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	No specific eye protection required during normal use.
Hand protection	Hand protection not required.
Other skin and body protection	No specific requirements are anticipated under normal conditions of use.
Hygiene measures	No specific measures identified.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic phys	
Appearance	Liquid.
Colour	White.
Odour	Unperfumed.
рН	pH (concentrated solution): 2-3
Relative density	1.01-1.03
Solubility(ies)	Soluble in water.
Viscosity	950-1500 cP @ 20°C
Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.
9.2. Other information	
Other information	Not relevant.
SECTION 10: Stability and reactivity	

10.1. Reactivity			
Reactivity	There are no known reactivity hazards associated with this product.		
10.2. Chemical stability			
Stability	Stable at normal ambient temperatures.		
10.3. Possibility of hazardous			
Possibility of hazardous reactions	Not applicable.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.		
10.5. Incompatible materials			
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.		
10.6. Hazardous decompositio	on products		
Hazardous decomposition products	Does not decompose when used and stored as recommended.		
SECTION 11: Toxicological int	formation		
11.1. Information on toxicologi	cal effects		
General information	This product has low toxisity		
Inhalation	This product has low toxicity.		
	No specific health hazards known.		
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.		
Skin contact	Skin irritation should not occur when used as recommended. Prolonged contact may cause redness, irritation and dry skin.		
Eye contact	May cause temporary eye irritation.		
SECTION 12: Ecological inform	mation		
Ecotoxicity	There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.		
12.1. Toxicity			
Toxicity	Not considered toxic to fish.		
12.2. Persistence and degrada	12.2. Persistence and degradability		
Persistence and degradability	There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.		
12.3. Bioaccumulative potentia			
Bioaccumulative potential	No data available on bioaccumulation.		
12.4. Mobility in soil			
Mobility	The product is water-soluble and may spread in water systems.		

12.5. Results of PBT and vP	vB assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment metho	ods
General information	The generation of waste should be minimised or avoided wherever possible.
Disposal methods	The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Refer to manufacturer/supplier for information on recovery/recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport info	rmation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping na	me
Not applicable.	
14.3. Transport hazard class	<u>s(es)</u>
No transport warning sign re	quired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	i de la constante de
Environmentally hazardous s	substance/marine pollutant
14.6. Special precautions for	user
Not applicable.	
14.7. Transport in bulk accor	rding to Annex II of MARPOL and the IBC Code
Transport in bulk according t Annex II of MARPOL 73/78 and the IBC Code	o Not applicable.
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and envi	ironmental regulations/legislation specific for the substance or mixture
National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) N° 1223/2009 on cosmetic products

12.5. Results of PBT and vPvB assessment

Guidance	Workplace Exposure Limits EH40. COSHH Essentials.
	ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	26/09/2018
Revision	1
SDS number	21916
Hazard statements in full	H315 Causes skin irritation. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.